
MATERIAL SPECIFICATION
MS-OR-533 CHEMICAL ADMIXTURES FOR CONCRETE

533.1 SCOPE

This specification covers the quality of chemical admixtures for manufacturer of Portland cement concrete.

533.2 QUALITY

Air-entraining admixtures shall conform to the requirements of ASTM Specification C 260.

Water-reducing and/or retarding admixtures shall conform to the requirements of ASTM Specification C 494, Types A, B, D, F, or G.

Plasticizing or plasticizing and retarding admixtures shall conform to ASTM C 494, Types F or G, or C 1017 as applicable.

Accelerating or water-reducing and accelerating admixtures shall be noncorrosive and conform to the requirements of ASTM Specification C 494, Types C and E. The manufacturer shall provide long-term test data results from an independent laboratory verifying that the product is noncorrosive when used in concrete exposed to continuously moist conditions.