



## PIPE TRENCH DETAIL

### NOTES:

\* Place fill over pipe as shown to provide minimum cover in places where natural ground is low.

Final backfill shall be free from material larger than 3 inches.

Select backfill shall consist of soil or granular material that is free from rocks greater than 1/2 inch in diameter.

Bedding shall be used on foundations containing material larger than 1/2 inch. Bedding may be either granular material conforming to ASTM C-33 gradation 7 or 8, or select backfill material.

This drawing requires supporting technical documentation prior to use and must be adapted to the specific site.

#### DIMENSIONS

dia. = \_\_\_\_\_ (in)

B = \_\_\_\_\_ (in)

W = \_\_\_\_\_ (ft)

Drawing not to scale.

Designed _____ Drawn _____ <b>9/2005</b> Checked _____ Approved _____	Date _____ CAD FILE NAME or_trench.dwg DRAWING NO. SHEET _____ OF _____	<h2 style="margin: 0;">TYPICAL TRENCH DETAILS</h2> <p style="margin: 0;">IRRIGATION</p> <p style="margin: 0;"> <b>U.S.D.A. NATURAL RESOURCES CONSERVATION SERVICE</b> </p>
--------------------------------------------------------------------------------	-------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------